



S.A. LIPMES
08243 Manresa (Barcelona)

Date printed 25.04.2022, Revision 25.04.2022

Version 04. Supersedes version: 03

Page 1 / 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Zink chloride Granules-Powder

Registration number	01-2119472431-44-0001
IUPAC	Zinc chloride
EU-INDEX	030-003-00-2
EINECS/ELINCS	231-592-0
CAS	7646-85-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Raw material for industrial applications
Usage only in accordance with the identified usages as stipulated in the CSR/CSA.

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company	S.A. LIPMES Creu Guixera s/n 08243 Manresa (Barcelona) / SPAIN Phone +34 938770447 Fax +34 938741160 E-mail lipmes@lipmes.com
---------	--

Address enquiries to

Technical information	lipmes@lipmes.com
Safety Data Sheet	sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Acute Tox. 4: H302 Harmful if swallowed.
Skin Corr. 1B: H314 Causes severe skin burns and eye damage.
Eye Dam. 1: H318 Causes serious eye damage.
STOT SE 3: H335 May cause respiratory irritation.
Aquatic Acute 1: H400 Very toxic to aquatic life.
Aquatic Chronic 1: H410 Very toxic to aquatic life with long lasting effects.






S.A. LIPMES
08243 Manresa (Barcelona)

Date printed 25.04.2022, Revision 25.04.2022

Version 04. Supersedes version: 03

Page 2 / 11

2.2 Label elements

	The product is required to be labelled in accordance with regulation CLP.	
Hazard pictograms	 	
Signal word	DANGER	
Contains:	Zinc chloride EU-INDEX 030-003-00-2	
Hazard statements	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. H410 Very toxic to aquatic life with long lasting effects.	
Precautionary statements	P260 Do not breathe dust. P280 Wear protective gloves / protective clothing / eye protection / face protection. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P273 Avoid release to the environment. P405 Store locked up. P501 Dispose of contents/container in accordance with local/national regulation.	

2.3 Other hazards

Environmental hazards	The product/the substance has the Water Hazard Class 3.
Other hazards	Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

The product is a substance.

Range [%]	Substance
~100	Zinc chloride
	CAS: 7646-85-7, EINECS/ELINCS: 231-592-0, EU-INDEX: 030-003-00-2, Reg-No.: 01-2119472431-44-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1B: H314 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M-Factor (acute): 1, M-Factor (chronic): 1
	SCL [%]: >= 5: STOT SE 3: H335

Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

3.2 Mixtures

not applicable

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Take off contaminated clothing and wash before reuse.
Inhalation	Consult a doctor immediately. Ensure supply of fresh air. In case of respiratory arrest induce breathing with a respiratory device. Seek medical advice.
Skin contact	Immediate medical treatment necessary, as untreated burns can result in slow-healing wounds. In case of contact with skin wash off immediately with plenty of water.
Eye contact	In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice. Shield unaffected eye.
Ingestion	Consult a doctor immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.



S.A. LIPMES
08243 Manresa (Barcelona)

Date printed 25.04.2022, Revision 25.04.2022

Version 04. Supersedes version: 03

Page 3 / 11

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Product itself is non-combustible. Fire extinguishing method of surrounding areas must be considered.

Extinguishing media that must not be used Full water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:
Hydrogen chloride (HCl).

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Wear full protective suit.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.
Avoid dust formation.
Use breathing apparatus if exposed to dust.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Avoid raising dust.
Take up mechanically.
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid the formation and deposition of dust.
Provide vacuuming if dust raised.
Use breathing apparatus when transferring large quantities without vacuuming facilities.
No special measures necessary.
Do not eat, drink or smoke when using this product.
Clean skin thoroughly after work, apply skin cream.
Use barrier skin cream.
Contaminated work clothing should not be allowed out of the workplace.
Take off contaminated clothing and wash before reuse.



S.A. LIPMES
08243 Manresa (Barcelona)

Date printed 25.04.2022, Revision 25.04.2022

Version 04. Supersedes version: 03

Page 4 / 11

7.2 Conditions for safe storage, including any incompatibilities

- Provide acid-resistant floor.
- Do not store with alkalis.
- Store in a dry place.
- Keep container tightly closed.
- Keep container in a well-ventilated place.

7.3 Specific end use(s)

- See product use, SECTION 1.2
- Usage only in accordance with the identified usages as stipulated in the CSR/CSA.

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
Zinc chloride
CAS: 7646-85-7, EINECS/ELINCS: 231-592-0, EU-INDEX: 030-003-00-2, Reg-No.: 01-2119472431-44-XXXX
Long-term exposure: 1 mg/m ³ , fume
Short-term exposure (15-minute): 2 mg/m ³

DNEL

Substance
Zinc chloride, CAS: 7646-85-7
Industrial, inhalative, Long-term - systemic effects, 1 mg/m ³ (AF=1)
Industrial, dermal, Long-term - systemic effects, 8.3 mg/kg bw/d (AF=1)
general population, inhalative, Long-term - systemic effects, 1.25 mg/m ³ (AF=1)
general population, dermal, Long-term - systemic effects, 8.3 mg/kg bw/d (AF=1)
general population, oral, Long-term - systemic effects, 0.83 mg/kg bw/d (AF=1)

PNEC

Substance
Zinc chloride, CAS: 7646-85-7
sewage treatment plants (STP), 100 µg/l (AF=1)
soil, 35.6 mg/kg dw (AF=1)
sediment (seawater), 56.5 mg/kg dw (AF=1)
sediment (freshwater), 117.8 mg/kg dw (AF=1)
seawater, 6.1 µg/L (AF=1)
freshwater, 20.6 µg/L (AF=1)



S.A. LIPMES
08243 Manresa (Barcelona)

Date printed 25.04.2022, Revision 25.04.2022

Version 04. Supersedes version: 03

Page 5 / 11

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Generic Exposure Scenarios only in accordance with the identified usages as stipulated in the CSR/CSA. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Tightly fitting goggles. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0.7 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). In splash contact: > 0.7 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Acid-resistant protective clothing (EN 340)
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Do not inhale dust.
Respiratory protection	Respiratory protection mask in the event of high concentrations. Short term: filter apparatus, filter P2. (DIN EN 143)
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.



S.A. LIPMES
08243 Manresa (Barcelona)

Date printed 25.04.2022, Revision 25.04.2022

Version 04. Supersedes version: 03

Page 6 / 11

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	crystalline solid in different forms
Color	white
Odor	odourless
Odour threshold	not applicable
pH-value	>5 (100g/l 20°C)
pH-value [1%]	No information available.
Boiling point [°C]	732
Flash point [°C]	No information available.
Flammability (solid, gas) [°C]	The product is not explosive. The product is not combustible.
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	1.33 hPa (428°C)
Density [g/cm ³]	2.93 (22°C)
Relative density	not determined
Bulk density [kg/m ³]	1800
Solubility in water	851 g/l (20°C)
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	not applicable
Relative vapour density	not applicable
Evaporation speed	not applicable
Melting point [°C]	287 (1013 hPa)
Auto-ignition temperature	not applicable
Decomposition temperature [°C]	ca. 360
Particle characteristics	No information available.

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with alkalis (lyes).

10.4 Conditions to avoid

Reactions with damp air and moisture.
Strong heating.



S.A. LIPMES
08243 Manresa (Barcelona)

Date printed 25.04.2022, Revision 25.04.2022

Version 04. Supersedes version: 03

Page 7 / 11

10.5 Incompatible materials

Various metals.
Cyanides and sulfides.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Substance
Zinc chloride, CAS: 7646-85-7
LD50, oral, Rat, 1100 mg/kg bw

Acute dermal toxicity

Substance
Zinc chloride, CAS: 7646-85-7
LD50, dermal, Rat, > 2000 mg/kg bw

Acute inhalational toxicity

Substance
Zinc chloride, CAS: 7646-85-7
LC50, inhalative, Rat, 1.975 mg/L (10 min)

Serious eye damage/irritation

Risk of serious damage to eyes.
Based on the available information, the classification criteria are fulfilled.

Skin corrosion/irritation

Product is caustic.
Based on the available information, the classification criteria are fulfilled.

Respiratory or skin sensitisation

Non-sensitizing.
Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — single exposure

May cause respiratory irritation.
Based on the available information, the classification criteria are fulfilled.

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Mutagenicity

Ames-test: negative.
Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

General remarks

The toxicological data are those of the pure product.

11.2 Information on other hazards

Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

Other information

none



S.A. LIPMES
08243 Manresa (Barcelona)

Date printed 25.04.2022, Revision 25.04.2022

Version 04. Supersedes version: 03

Page 8 / 11

SECTION 12: Ecological information

12.1 Toxicity

Substance
Zinc chloride, CAS: 7646-85-7
LC50, (48h), Daphnia magna, 1220 µg Zn/l
LC50, (96h), fish, 439 µg Zn/l
LC50, (96h), Pimephales promelas, 0.78 mg Zn/l (Lit.)
LC50, (96h), Oncorhynchus mykiss, 0.169 mg Zn/l
EC50, (48h), Ceriodaphnia dubia, 0.147 - 0.413 mg Zn/l (Lit.)
IC50, (72h), Selenastrum capricornutum, 0.136 mg Zn/l (Lit.)

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	No information available.
Biological degradability	not applicable

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

not applicable

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.
Coordinate disposal with the disposal contractor/authorities if necessary.

Waste no. (recommended)

060313*

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.
Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Waste no. (recommended)

150110* packaging containing residues of or contaminated by hazardous substances



S.A. LIPMES
08243 Manresa (Barcelona)

Date printed 25.04.2022, Revision 25.04.2022

Version 04. Supersedes version: 03

Page 9 / 11

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID 2331

Inland navigation (ADN) 2331

Marine transport in accordance with IMDG 2331

Air transport in accordance with IATA 2331

14.2 UN proper shipping name

Transport by land according to ADR/RID Zinc chloride, anhydrous

- Classification Code C2

- Label



- ADR LQ 5 kg

- ADR 1.1.3.6 (8.6) Transport category (tunnel restriction code) 3 (E)

Inland navigation (ADN) Zinc chloride, anhydrous

- Classification Code C2

- Label



Marine transport in accordance with IMDG Zinc chloride, anhydrous

- EMS F-A, S-B

- Label



- IMDG LQ 5 kg

Air transport in accordance with IATA Zinc chloride, anhydrous

- Label



14.3 Transport hazard class(es)

Transport by land according to ADR/RID 8 (N)

Inland navigation (ADN) 8 (N)

Marine transport in accordance with IMDG 8

Air transport in accordance with IATA 8



S.A. LIPMES
08243 Manresa (Barcelona)

Date printed 25.04.2022, Revision 25.04.2022

Version 04. Supersedes version: 03

Page 10 / 11

14.4 Packing group

Transport by land according to ADR/RID III

Inland navigation (ADN) III

Marine transport in accordance with IMDG III

Air transport in accordance with IATA III

14.5 Environmental hazards

Transport by land according to ADR/RID yes

Inland navigation (ADN) yes

Marine transport in accordance with IMDG MARINE POLLUTANT

Air transport in accordance with IATA yes

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2022)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.

- **Observe employment restrictions for people** Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.

- **VOC (2010/75/CE)** not applicable

15.2 Chemical safety assessment

For this substance a chemical safety assessment has been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H410 Very toxic to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.
H314 Causes severe skin burns and eye damage.
H302 Harmful if swallowed.



S.A. LIPMES
08243 Manresa (Barcelona)

Date printed 25.04.2022, Revision 25.04.2022

Version 04. Supersedes version: 03

Page 11 / 11

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Customs Tariff

not determined

Classification procedure

Acute Tox. 4: H302 Harmful if swallowed. (Harmonised Classification)
Skin Corr. 1B: H314 Causes severe skin burns and eye damage. (Harmonised Classification)
Eye Dam. 1: H318 Causes serious eye damage. (Harmonised Classification)
STOT SE 3: H335 May cause respiratory irritation. (Harmonised Classification)
Aquatic Acute 1: H400 Very toxic to aquatic life. (Harmonised Classification)
Aquatic Chronic 1: H410 Very toxic to aquatic life with long lasting effects. (Harmonised Classification)

Modified position

none

Copyright: Chemiebüro®

Number (ES)	Exposure Scenario Title	Chemical product category [PC]	Life cycle stage covered by ES					Sector of use category [SU]	Process category [PROC]	Article Category [AC]	Environmental release category [ERC]	
			Manufacture	Formulation	End use							Service life
					Use at industrial site	Widespread use by professional workers	consumer use					
1	Zinc chloride recovery	19, 20, 21	X		X			X	8, 9	2, 3, 5, 8b, 9, 26	1	
2	Zinc chloride production and refining	20, 21	X		X			X	8, 9	2, 3, 5, 8b, 9, 26	1	
6	Production of inorganic zinc compounds	19, 20, 21			X			X	8, 9, 10	2, 3, 8b, 9, 15	1, 2, 6a	
7	Electrogalvanising	7, 14			X			X	15, 17, 0.Nace C25.6.1	13, 21	2, 7	2, 5
8	Electroplating	7, 14			X			X	0.Nace C25.6.1, 15, 17	3, 8b, 21	2, 7	2, 5
9	Zinc production by electrowinning	7			X			X	0.NACE C24.4.3, 14	2, 8b, 22, 26		1
10	Production of Zinc chloride based fluxing agents	19, 20, 21	X		X			X	8, 9, 10	2, 3, 5, 8b, 9, 15		1, 2, 5, 6a
11	steel surface treatment prior to hot-dip galvanizing	14, 38			X			X	8, 14, 15, 18, 19, 0.Nace C23.9.9	2, 4, 8b, 13, 25	1, 2, 3, 7	5, 8a, 10a, 11a
13	Laboratory reagents	19, 21, 28, 39	X		X	X		X	10, 24	1, 2, 3, 4, 5, 8b, 9, 15		1, 2, 4, 6a, 6b, 8a, 8d
14	Catalytic agent	19, 20			X	X		X	9, 10	4, 5, 8b, 9, 15		4, 6b
15	Zinc production by pyrometallurgy	7			X			X	14, 0.NACE C24.4.3	2, 8b, 23, 26		1
16	Production of organic zinc compounds	19, 20, 21, 24, 29, 39	X		X			X	9, 10	1, 2, 3, 4, 8b, 9, 15		1, 2, 6a
17	Production of organic pigments	9a, 9b, 9c	X	X	X			X	8, 9, 10, 13	1, 2, 3, 4, 5, 8b, 9, 22		1, 2, 5

Number (ES)	Exposure Scenario Title	Chemical product category [PC]	Life cycle stage covered by ES					Sector of use category [SU]	Process category [PROC]	Article Category [AC]	Environmental release category [ERC]	
			Manufacture	Formulation	End use							Service life
					Use at industrial site	Widespread use by professional workers	consumer use					
18	Production of coatings, paints, inks, enamels, varnishes	1, 9a, 9b, 9c, 14, 15, 18, 26, 32	X		X			X	5, 8, 9, 10, 11, 12, 13, 14	1, 2, 3, 4, 5, 8b, 9	1, 2, 3, 4, 5, 7	
19	Formulation of abrasive material for tools	9b, 14, 15, 20	X	X	X			X	8, 9, 10, 13, 14, 18	1, 2, 3, 4, 5, 8b, 9, 14, 22, 26	1, 10a, 11a	
20	Component for paper coating or treatment for paper products	9a, 15, 18, 21, 35, 20, 23, 34			X			X	6b, 7, 8, 9, 10	3, 4, 5, 6, 8b, 9, 13	2, 6b	
21	Use of ZnCl ₂ containing paper coatings	1, 9a, 9b, 9c, 15, 18			X	X		X	6b, 10	4, 5, 6, 8b, 9, 10, 13, 19	0 8a, 8d, 10a, 10b	
22	Textile and leather coating treatment	9a, 15, 19, 20, 21, 23, 34, 35			X			X	5, 8, 9, 10	3, 4, 5, 6, 8b, 9, 13	5, 6 2, 6b	
23	Use of ZnCl ₂ containing coatings for textile and leather	15, 23, 34			X	X		X	5, 10	4, 5, 6, 19, 8b, 9, 13	5, 6 8a, 8d, 10a, 11a	
24	Additive in the manufacturing of electric/electronic components	20, 33			X			X	10, 13, 16, 0.NACE C26.1.1:	3, 5, 8b, 9, 14, 22	2, 4 2, 5	
25	Batteries /fuel cells	14, 19, 20, 21		X	X			X	16, 0.NACE-CodeC2 7.2	3, 5, 13, 14	3 2, 5	
26	Component for production of rubber, resins and related preparations	9a, 9b, 9c, 18, 19, 20, 24, 32, 33	X	X	X			X	10, 11	10, 3, 5, 6, 8b, 9, 13, 14, 21, 24	10 2, 3, 4, 5, 6d, 10a, 11a	
27	Production of polymer matrices, plastics and related preparations	19, 20, 32, 33	X	X	X			X	10, 12	2, 3, 5, 6, 8b, 9, 10, 13, 14, 21, 24	1, 2, 3, 13 1, 3, 5, 6a	
28	Additive / component for the production of Sealants / Adhesives / Mastics	1, 9a, 14, 19, 20, 24, 32		X	X			X	10, 8	3, 5, 8b, 9, 10, 11, 13, 14, 20, 21, 24	1, 2, 7, 11 1, 2, 3, 5, 6a, 6d, 8b, 8c, 10a, 10b, 11a	

Number (ES)	Exposure Scenario Title	Chemical product category [PC]	Life cycle stage covered by ES					Sector of use category [SU]	Process category [PROC]	Article Category [AC]	Environmental release category [ERC]	
			Manufacture	Formulation	End use							Service life
					Use at industrial site	Widespread use by professional workers	consumer use					
30	Additive / component for the production of Lubricants / Grease / Metal working fluids	14, 24, 25, 32			X			X	10, 18	3, 4, 5, 8b, 9, 10, 13	1, 2, 7	1, 2, 3, 5, 6a, 6d, 8b, 9a, 9b, 11a
32	Additive / component for the production of Polishes / wax blends	9c, 9b, 9a, 14, 25, 31		X	X			X	9, 10, 18	3, 4, 5, 7, 8b, 9, 10, 11, 13, 19	1, 2, 7	1, 2, 3, 5, 6a, 6d, 8a, 8b
34	Use of ZnCl ₂ - containing catalysts	2, 9a, 9b, 9c, 19, 20, 40			X			X	8, 9, 10	1, 2, 3, 5, 8b, 9, 14		1, 5, 4, 6a, 6b
35	Additive component for production of de-icing products	4, 20, 35			X			X	8, 9	3, 5, 8b, 9		2, 5, 8c, 8f
37	Additive for the formulation of animal feedstuffs	29, 20		X	X			X	4	3, 5, 8b, 9		2, 10a
38	Additive for the formulation of biocidal products	37, 8		X	X			X	9, 10	5, 8b, 9		2
39	Additive for the formulation of cleaning products	8, 35, 37		X	X			X	10, 9	5, 8b, 9		2, 8a, 8b
41	Additive for the formulation of fertilizers	9b, 12, 20, 21		X	X			X	8, 1, 10	1, 2, 3, 4, 5, 8b, 9, 13		2, 3, 10a, 10b, 5
43	Additive in the formulation of cosmetics	28, 35, 39		X	X			X	10	1, 2, 3, 5, 8b, 9, 13, 14, 15		2, 5
45	Additive in the formulation of pharma / veterinary products	20, 21, 29		X	X			X	10, 20, 9, 0.Nace C21.1	1, 2, 3, 5, 8b, 9, 13, 14, 15		2, 5, 8a, 8d
12	Use of zinc chloride based fluxing agents before welding/soldering processes	7, 25, 38				X	X	X	16, 17, 18, 0.Nace C23.9.9	2, 4, 8b, 13, 25	1, 2, 3, 7 3, 5, 8a, 8d, 10a, 10b	
29	Use of ZnCl ₂ -containing Sealants / Adhesives / Mastics	9a, 9b, 9c, 1, 14, 19, 20, 24, 32		X		X	X	X	5, 6a, 6b, 11, 12, 13, 15, 19	7, 8a, 8b, 9, 10, 11, 13, 14, 17, 19, 21	7, 1, 2, 11	8a, 8c, 8d, 8f

Number (ES)	Exposure Scenario Title	Chemical product category [PC]	Life cycle stage covered by ES					Sector of use category [SU]	Process category [PROC]	Article Category [AC]	Environmental release category [ERC]	
			Manufacture	Formulation	End use							Service life
					Use at industrial site	Widespread use by professional workers	consumer use					
31	Use of ZnCl ₂ -containing Lubricants / Grease / Metal working fluids	24, 14, 25, 32	X		X	X	X	17, 18	7, 8a, 8b, 9, 10, 11, 13, 14, 17, 19, 21	11, 1, 2, 7	8a, 8c, 8d, 8f	
33	Use of ZnCl ₂ -containing Polishes / wax blends	9a, 9b, 9c, 14, 25, 31		X	X	X	X	18, 9	7, 8a, 8b, 9, 10, 11, 13, 14, 19, 21	7, 1, 11, 2	8a, 8c, 8d, 8f	
36	Use of ZnCl ₂ -containing de-icing products	4, 20, 35			X	X	X	18, 9	7, 8a, 8b, 9, 10, 11, 13, 14, 19, 21		8a, 10a	
40	Use of ZnCl ₂ -containing cleaning products	8, 35, 39		X	X	X	X	9	8a, 8b, 9, 10, 11, 13		8a	
42	Use of ZnCl ₂ -containing fertilizer's formulations	9b, 12, 20		X	X	X	X	1, 9	2, 7, 8a, 8b, 9, 10, 11, 13, 19, 26		8a, 8b, 8d, 8e, 9b, 10b	
44	Use of cosmetics	28, 35, 39		X	X	X	X	9	8a, 8b, 9, 10, 11		8a	
46	Use of of Pharma / veterinary products	20, 21, 29		X	X	X	X	20	8a, 8b, 9, 10, 11		8a	